MAY 2 4 2006

Docket No.: 713-1000

# PATENT MONTELIANCE DUSIGN

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE MAY 25 PM 4: 09

In re Application of

US PATENT & TRADEMARK

OFFICE

Marco SANWALD

Confirmation No.2313

U.S. Patent Application No. 10/752,099

Group Art Unit: 1734

Filed: January 7, 2004

Examiner:

For: PUMPING DEVICE FOR POWDER, A METHOD THEREFORE AND A POWDER COATING DEVICE

## REQUEST FOR REFUND

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

A refund in the amount of 636.00 is requested for the following reason:

 A preliminary amendment deleting the multiple dependent claims and additional claims. A copy of the amendment filed June 1, 2004 is attached.

Please immediately credit Deposit Account No.: 07-1337 in this amount.

Respectfully submitted

LOWE HAUPTMAN & BERNER, LLP

Benjamin J. Hauptman Registration No. 29,310

1700 Diagonal Road, Suite 310 Alexandria, Virginia 22314 Telephone: (703) 684-1111 BJH/eb

Facsimile: (703) 518-5499 **DATE: May 24, 2006** 

BEST AVAILABLE COP

Page 1 of 2

of States Patent and Tradema: COMMISSIONER FOR PATENTS FO. Box 1450

2011-14X

**FORMALITIES LETTER** 

APPLICATION NUMBER 10/752.099

FILING OR 371 (c) DATE 01/07/2004

FIRST NAMED APPLICANT Marco Sanwald

ATTORNEY DOCKET NUMBER 713-1000

**CONFIRMATION NO. 2313** 

33712 LOWE, HAUPTMAN, GILMAN & BERNER, LLP THECEIVED 1700 DIAGONAL ROAD

SUITE 300

ALEXANDRIA, VA 22314

APR 1 5 2004

\*OC000000012332016\*

Date Mailed: 04/12/2004

Lowe, Hauptman, Gilman & Berner

## NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

/02/2004 SDEHBOB1 00000113 10752099

FILED UNDER 37 CFR 1.53(b)

FC:1001 FC:1051 FC:1202

Filing Date Grented

1 130,00 GP 1 108,00 GP 1 86,00 GP 1 86,00 GP Items Required To Avoid Abandonment: FC:1201

> An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given TWO MONTHS from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- . The statutory basic filing fee is missing. Applicant must submit \$ 770 to complete the basic filing fee for a non-small entity. If eppropriate, applicant may make a written assertion of entitlement to small entity status and pay the small entity filing fee (37 CFR 1.27).
- The oath or declaration is missing. A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(e) of \$130 for a non-small entity, must be submitted with the missing items identified in this letter.

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

 Additional claim fees of \$722 as a non-small entity, including any required multiple dependent claim fee, are required. Applicant must submit the additional claim fees or cancel the additional claims for which fees are due.

#### SUMMARY OF FEES DUE:

Total additional fee(s) required for this application is \$1622 for a Large Entity

02 FC:1203 \$130 Late out top declaration Surcharge.

Adjustment Date: 10/03/2006 SDIRETA1 04/07/2006 BHABTEN 0000009 071337 02 FC:1203 / 290/00 CR 10752099

Adjustment date: 10/03/2006 SDIRETA1 04/07/2006 BHABTEW 00000010 071337 01 FC:1202 346,00 CR -86 -86.00 OP

0/03/2006 SDIRETA1 FC: 1202

00000005

10/03/2006 SDIRETA1 00000006 071337

10752099

8

ď

8

108.00

.-34

물路



United States Patent and Trademark Office





## Deposit Account Statement

**Requested Statement Month:** 

April 2006

Deposit Account Number:

071337

Name:

LOWE HAUPTMAN & BERNER LLP

Attention:

Address:

1700 DIAGONAL ROAD

City:

**ALEXANDRIA** 

State:

22314

Zip: Country:

04/26 12

HOLY SEE (VATICAN CITY)

\$4,661.50 1704

| POSTING ATTORNEY |        | FEE . |     |     |
|------------------|--------|-------|-----|-----|
| DATE SEQ         | DOCKET | CODE  | AMT | BAL |
| REF TXT          | NBR    | CODE  |     |     |

\$8,247.50 [688 1614 KMB \$100.00 04/03 16 10562162 4590-457 \$7,957.50\ JE89 \$7.611.50 **~** 589745240\$297751354000° \$1,400.00 \$6,211.50 04/07 41 \$5,911.50 10747208 4504-096 1504 Junus 04/07 42 10747208 4504-096 \$300.00 \$5,411.50 - 1691 (000)745 7464000 \$5,261.50 1699 10992784 4824-031 1202-07 \$150.00 \$5,081.50 1700 10805399 5002-002 1806 kmB \$180.00 \$4,901.50 /702 60793660 5000-058PRO 1005 KmB \$200.00 \$4,701.50 1703 04/25 6

8021 KMB \$40.00

\$4,491.50

KmB \$130.00 \$4,531.50 04/27 559 10543342 4752-008 1617\ \$4,491.50 ) 1705 04/27 560 10543342 4752-008 \$40.00 80211 START SUM OF **SUM OF** END **BALANCE CHARGES** REPLENISH BALANCE

11337152 OLI-006

\$8,347.50 \$3,856.00

· .

Need Help? | USPTO Home Page | Finance Online Shopping Page

\$.00

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re Application of                   | ) .                    |
|--|------------------------|
| Marco SANWALD                          | ) Confirmation No.2313 |
| U.S. Patent Application No. 10/752,099 | ) Group Art Unit: 1734 |
| Filed: January 7, 2004                 | )                      |

For: PUMPING DEVICE FOR POWDER, A METHOD THEREFORE AND A POWDER COATING DEVICE

## RESPONSE TO NOTICE TO FILE MISSING PARTS

Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is in response to the Notice of Missing Parts of Application dated April 12, 2004, the period for response to which is set to expire on June 12, 2004. Submitted herewith are the following:

- Declaration and Power of Attorney
- Statutory Basic Filing Fee (\$770.00)
- Late Declaration Surcharge (\$130.00)
- Additional Claim Fee (\$194.00)
  - \$108.00 for 6 Total Claims over 20
  - \$86.00 for 1 Independent Claim over 3
- Copy of Notice to File Missing Parts
- Copy of a Preliminary Amendment filed January 7, 2004

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Marco SANWALD

U.S. Patent Application No.: pending

Filed: herewith

For: PUMPING DEVICE FOR POWDER, A METHOD THEREFORE AND A POWDER

**COATING DEVICE** 

## **PRELIMINARY AMENDMENT**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Preliminary to examination of the above-referenced application, please amend the application as follows:

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

A pumping system for powder (54), in particular for coating powders, 1. (Original) containing at least one powder pump (2-1, 2-2) fitted with a metering chamber (4-1, 4-2) which is bounded by a chamber housing (6-1, 6-2) and an expelling element (8-1, 8-2), said expelling element which is forward-displaceable relative to the chamber housing during a pressure stroke and backward during a suction stroke, the pump chamber comprising a powder intake duct (36-1, 36-2) associated with a powder intake valve (38-1, 38-2), further a powder outlet duct (40-1, 40-2) associated with a powder outlet valve (42-1, 42-2), and a compressed gas intake duct (44-1,44-2) associated with a compressed gas intake valve (46-1, 46-2), the powder intake valve (38-1, 38-2) being opened to aspirate a metered quantity of powder (54) into the metering chamber (4-1, 4-2) and the powder outlet valve (42-1, 42-2) and the compressed gas intake valve (46-1, 46-2) being closed, whereby the expelling element moving in the direction of the suction stroke is able to aspirate powder (54) through the powder intake duct (36-1, 36-2) into the metering chamber (4-1, 4-2), and the powder intake valve (38-1, 38-2) being closed in order to convey the metered quantity of powder out of the metering chamber (4-1, 4-2), and the powder outlet valve (42-1, 42-2) and the compressed gas intake duct (44-1, 44-2) are opened, as a result of which compressed gas flowing from the compressed gas intake duct (44-1, 44-2) is able to force the metered quantity of powder from the metering chamber (4-1, 4-2) into the powder outlet duct (40-1, 40-2), and a pump control unit (68) to drive the compressed gas intake valve (46-1, 46-2),

characterized in that

the pump control unit (68) comprises a time controller (74) by means of which the conveyance of powder out of the metering chamber (4-1, 4-2) is initiated as a function of the predetermined delay time elapsed since a predetermined operational point, the compressed gas being introduced at the end of the time delay into the metering chamber (4-1, 4-2) and the quantity of powder metered until the end of the time delay is forced by the compressed gas out of the metering chamber (4-1, 4-2).

- 2. (Original) Pump system as claimed in claim 1, characterized in that the pump control unit (68) comprises a timer and transmits each time, upon the lapse of a predetermined cycle time, control signals to a reversal device (34) to reverse the motion of the expelling element (8-1, 8-2) from suction stroke to pressure stroke and vice-versa from pressure stroke to suction stroke at the predetermined cycle time, and in that the pump control unit (68) is designed to initiate at the time controller (74) the predetermined delay time each time as a function of the time that control signal was generated which initiates the beginning of the suction stroke, the compressed gas being introduced at the end of said time delay into the metering chamber (4-1, 4-2) And the quantity of powder that was metered until the end of the delay time being forced out of the metering chamber (4-1, 4-2) by the compressed gas.
- 3. (Currently Amended) Pump system as claimed in claim 1 either of claims 1 and 2, characterized by at least one monitoring sensor (S5, S6) detecting when the expelling element (8-1, 8-2) is at a predetermined position and generating a signal upon detecting that the expelling element is in the predetermined position, by the pump control unit (68)

Docket No.: 713-1000 PATENT

being operationally connected to the minimum of one monitoring sensor, and by the pump control unit (68) being designed to automatically compare the time of the sensor signal with the time of at least one of the monitoring control signals to deduce whether the time interval between said two times deviates from a predetermined value, and by generating an error signal when a predetermined deviation from the predetermined values does arise.

- 4. (Currently Amended) Pump system as claimed in claim 1 either of claims 1 and 2, characterized in that there are at least two monitoring sensors (S5, S6) which are connected to the pump control unit (68) to detect when the expelling element (8-1, 8-2) is situated in one of two different predetermined positions and to generate sensor signals when detecting the expelling element in the predetermined positions, and in that the pump control unit (68) is designed to compare the time difference between the signals from one of the monitoring sensor and the signals from the other monitoring sensor on one hand and a predetermined time interval on the other hand, and to generate an error signal when the time difference deviates from the predetermined time interval by more than a predetermined value.
- Original) Pump system defined in claim 1, characterized in that the pump control unit (68) comprises a time controller (74) to initiate powder conveyance -- as a function of the predetermined delay time elapsed after a predetermined suction stroke position of the expelling element (8-1, 8-2) -- out of the metering chamber, compressed gas being introduced at the end of the time delay into the metering chamber (4-1, 4-2) and the

quantity of powder metered until the end of the delay time being forced by the compressed gas out of the metering chamber (4-1, 4-2).

- 6. (Original) Pump system as claimed in claim 5, characterized in that the predetermined suction stroke position is a suction stroke initial position.
- 7. (Original) Pump system as claimed in claim 5, characterized in that the predetermined suction stroke position is situated between a suction stroke initial position and a suction stroke final position.
- 8. (Original) Pump system as claimed in claim 5, characterized in that the predetermined suction stroke position is situated between a suction stroke position and a suction stroke final position, nearer the former than the latter.
- 9. (Currently Amended) Pump system as claimed in claim 5at least one of the above elaims 5 through 8, characterized in that the time controller (74) comprises at least one sensor (S1, S4; S2, S3) to generate a signal when the expelling element (8-1, 8-2) is situated in a predetermined suction stroke position.
- 10. (Currently Amended) Pump system as claimed in claim 5 one of claims 5 through 9, characterized in that it comprises a pump control unit (68) implementing the reversal of motions of the expelling element (8-1, 8-2) from suction stroke to pressure stroke and vice versa as a function of signals from sensors (S1, S4) each of which generates a signal

when the expelling element (8-1, 8-2) is situated along the stroke excursion at either of two predetermined motion reversal positions.

- 11. (Currently Amended) Pump system as claimed in claim 1 at least one of the above elaims, characterized in that the excursion of the expelling element (8-1, 8-2) is constantly the same size for all stroke displacements.
- 12. (Currently Amended) Pump system as claimed in <u>claim 1at least one of the above</u> elaims, characterized in that a second time delay takes place at least at one of the motion reversal dead points of the expelling element (8-1, 8-2) before the expelling element (8-1, 8-2) having moved in one direction is moved in the pertinent other direction.
- 13. (Currently Amended) Pump system as claimed in <u>claim 1 at least one of the above</u>

  elaims, characterized in that the time delay is variably adjustable.
- 14. (Currently Amended) Pump system as claimed in <u>claim 1 at least one of the above</u> elaims, characterized in that the expelling element (8-1, 8-2) is a flexible membrane.
- 15. (Currently Amended) Pump system as claimed in <u>claim 1at least-one of the above</u> elaims, characterized in that the powder intake valve (38-1, 38-2) and the powder outlet valve (42-1, 42-2) are automatic valves which are automatically opened resp. closed by the pressure differential across their two valve sides.

- 16. (Original) Pump system as claimed in claim 15, characterized in that the powder intake valve (38-1, 38-2) and the powder outlet valve (42-1, 42-2) are automatic valves actuated in the manner of a check valve by differential gas pressure across their valve element (38-3, 42-3), said valve element (38-3, 42-3) being displaceable as a function of this gas pressure differential relative to a valve seat (38-4, 42-4) into its open or into its closed position and can be latched into said particular position.
- 17. (Original) Pump system as claimed in claim 15, characterized in that the powder intake valve (38-1, 38-2) and the powder outlet valve (42-1, 42-2) are automatic valves of the duck bill kind of which the duck bill automatically opens resp. closes on account of the pressure difference between the inside and the outside of the duck bill.
- 18. (Currently Amended) Pump system as claimed in claim 1 at least one of the above elaims, characterized in that at least two of the said powder pumps (2-1, 2-2) are used, their powder intake ducts (36-1, 36-2) being connected or connectable to a powder source and their powder outlet ducts (40-1, 40-2) being connected or connectable to a common powder feed aperture (48), and in that the two powder pumps (2-1, 2-2) are operated in opposition whereby a metered quantity of powder may be expelled in alternating manner from the metering chamber (4-1) of one powder pump (2-1) or from the metering chamber (4-2) of the other powder pump (2-2), by means of the compressed gas into the powder outlet duct (40-1, 40-2), and reversely powder may be alternatingly aspirated through the powder intake ducts (36-1, 36-2) into either of the other metering chamber (4-1, 4-2)

19. (Original) Pump system as claimed in claim 18, characterized in that the expelling element (8-1, 8-2) of the pumps are actuated by a common drive (10).

- 20. (Original) Powder coating apparatus characterized by a pump system as claimed in at least one of the above claims to convey coating powder.
- 21. (Original) Method for conveying powder (54), in particular coating powder, wherein powder (54) is aspirated by increasing the volume of a metering chamber (4-1, 4-2) from a power source into this metering chamber (4-1, 4-2) and thereupon the metered quantity of powder is forced by means of compressed gas out of the metering chamber (4-1, 4-2), thereupon the volume of the metering chamber (4-1, 4-2) being decreased and next the cycle being periodically repeated,

#### characterized in that

a predetermined phase of the periodic change in volume of the metering chamber (4-1, 4-2) is detected by sensors (S1, S4; S2, S3) and in that employing a predetermined time delay after the predetermined phase has been reached, the quantity of powder metered up to that time is forced out of the metering chamber (4-1, 4-2) by means of the compressed gas.

22. (Original) Method as claimed in claim 21, characterized in that at least one valve is used in the particular path in a powder intake duct (36-1, 36-2) into the metering chamber and in a powder outlet duct (40-1, 40-2) out of the metering chamber (4-1, 4-2), said

#### **REMARKS:**

The above-referenced application is amended to remove the multiple dependencies of claims 3, 4, 9 to 15, 18 and 26.

Entry is in order.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 07-1337 and please credit any excess fees to such deposit account.

Respectfully submitted,

LOWE HAUPTMAN GILMAN & BERNER, LLP

Randy A. Noranbrock

Registration No. 42,940

Customer Number: 22429 1700 Diagonal Road, Suite 310 Alexandria, Virginia 22314 (703) 684-1111 BJH/RAN/eb Facsimile: (703) 518-5499

Date: January 7, 2004

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

|   | □ BLACK BORDERS   |
|---|---|
| _ | IMAGE CUT OFF AT TOP, BOTTOM OR SIDES                   |
| • | FADED TEXT OR DRAWING                                   |
|   | ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING                  |
|   | ☐ SKEWED/SLANTED IMAGES                                 |
|   | ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS                  |
| 1 | GRAY SCALE DOCUMENTS                                    |
|   | ☐ LINES OR MARKS ON ORIGINAL DOCUMENT                   |
|   | ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY |
|   | □ other.  |

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.